

Notice of Allowability

Application No.

10/620,073

Examiner

Ross N. Gushi

Applicant(s)

WU, JERRY

Art Unit

2833

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to _____.
2. ☒ The allowed claim(s) is/are 1-12.
3. ☒ The drawings filed on 14 July 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

REASONS FOR ALLOWANCE

Claims 1-12 are allowed. The following is an examiner's statement of reasons for allowance: Regarding claim 1, the prior art does not suggest the connector as claimed, including the combination of all the claimed elements, the combination including the first housing including the through hole including the first and second segments as claimed, the second housing including the cutout as claimed, the module retained in the first and second housings as claimed, and the screw including the ring as claimed. Regarding claim 9, the prior art does not suggest the connector as claimed, including the combination of all the claimed elements, the combination including the housing as claimed, the projection stations on two opposite longitudinal sides, the plurality of printed circuit boards and plurality of the cables secured to the boards as claimed, and the screws as claimed. Regarding claim 10, the prior art does not suggest the connector as claimed, including the combination of all the claimed elements, the combination including first housing including the projection stations as claimed, the second housing, the screws, and the interengagement device to secure the housings between the projection housings as claimed. Regarding claim 12, the prior art does not suggest the connector as claimed, including the combination of all the claimed elements, the combination including the first and second housings, the plurality of contact modules and plurality of cables secured to the contact modules, and the projection stations, ears, and screws as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 2833

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ross Gushi whose telephone number is (571) 272-2005. If attempts to reach the examiner by phone are unsuccessful, the examiner's supervisor, Paula A. Bradley, can be reached at 571-272-2800 extension 33. The phone number for the Group's facsimile is (703) 872-9306.



ROSS GUSHI
PRIMARY EXAMINER